


Category: 插拔式端子-插头/Plug-in terminal-plug

Product name: 4501XX/050

Product Description: 5.0mm , 320V , 12A CE , UL



Product Picture



基本信息 /Basic Information

| | |
|-------------------------------|--------------------------------|
| 产品型号 SUPU ID | 4501XX/050 |
| 产品间距 Pitch | 5.0mm |
| 产品层数 Number of levels | 1 |
| 产品位数 Number of connections | 2P-24P |
| 接线方式 Connection method | 回拉式弹簧接线 Spring cage connection |
| 防护等级 Protection Level | IP20 |

| | |
|--------------------------|------------|
| 工作温度 Work temperature | -40~+105°C |
|--------------------------|------------|

IEC数据 /IEC Data

| | | | |
|----------------------------------------------------------------|------------------------|------|------|
| 额定电流 Rated Current | 12A | | |
| 额定电压 Rated Voltage | 320V | | |
| 过压类别 Overvoltage category | III | III | II |
| 污染等级 Pollution degree | 3 | 2 | 2 |
| 额定冲击电压 Rated impulse voltage | 4KV | 4KV | 4KV |
| 额定电压 Rated Voltage | 320V | 320V | 630V |
| 硬导线截面积 Conductor cross section solid | 0.2-2.5mm ² | | |
| 柔性导线截面积 Conductor cross section flexible | 0.2-2.5mm ² | | |
| 柔性导线截面积，带绝缘管套 Conductor cross section flexible,with furrule | 0.2-2.5mm ² | | |
| 锁线螺钉规格 Locking screw Specification | - | | |
| 额定扭矩 Rated Torque | - | | |
| 固定螺钉规格 Fixed Screw Specification | - | | |
| 额定扭矩 Rated Torque | - | | |
| 剥线长度 Stripping length | 8-9mm | | |

UL数据 /UL Data

| | | | |
|-----------------------|------|---|------|
| 使用组别 Use group | B | C | D |
| 额定电流 Rated Current | 15A | - | 10A |
| 额定电压 Rated Voltage | 300V | - | 300V |

| | |
|-------------------------------|----------|
| 额定接线容量 Rated cross section | 28-12AWG |
|-------------------------------|----------|

材料信息 /Material Data

| | |
|-----------------------------------------------------------|--------------|
| 绝缘材料 Insulation material | PA66 |
| 绝缘材料组别 Insulation material group | I |
| 阻燃等级, 符合UL94 Flame retardant grade, UL94 compliance | V0 |
| 导电体材料 Contact material | Copper alloy |
| 导电体表面镀层 Surface characteristics | Sn,Plated |

产品认证 /Product Certification

| | |
|---------------------|------------------------------------------------------------------------------------|
| 认证图标 Certificate |  |
|---------------------|------------------------------------------------------------------------------------|

| |
|----------------------|
| UL证书号 UL file No. |
|----------------------|

| |
|-------------------|
| VDE证书号 VDE No. |
|-------------------|

| |
|-------------------|
| TUV证书号 TUV No. |
|-------------------|

Ningbo Supu Electronics Co.,Ltd

Zip code: 315303

Fax: +86 574-63288170

E-mail : askme@supu.cn

Address: No. 625, Kandun Town Street, Cixi
City, Zhejiang Province

Switchboard: +86 574-63288158

E-mail : askme@supu.cn

Service Hotline: 400-626-6336



Code