

Silicon Planar Zener Diodes

Feature:

- Hermetically sealed, glass silicon diodes.



Absolute Maximum Ratings ($T_a=25^{\circ}\text{C}$)

Description	Symbol	Value	Unit
Average Forward Current (averaged Over any 20 ms period)	$I_{F(av)}$	250	mA
Repetitive Peak Forward Current	I_{FRM}	250	
Total Power Dissipation up to $T_{flange} = 50^{\circ}\text{C}$	P_{tot}	500	mW
Up to $T_a = 50^{\circ}\text{C}$ and Mounted on a Ceramic Substrate of 10mm x 10mm x 0.6mm	P_{tot}	400	
Non-Repetitive Peak Reverse Power Dissipation $t = 100\mu\text{s}$, $T_j = 150^{\circ}\text{C}$	P_{ZSM}	30	W
Storage Temperature	T_{stg}	- 65 to +200	$^{\circ}\text{C}$
Junction Temperature	T_j	200	
Thermal Resistance			
From Junction to tie-point (flanges)	$R_{th(j-tp)}$	0.3	K/mW
From Junction to Ambient when Mounted on a Ceramic Substrate of 10mm x 10mm x 0.6mm	$R_{th(j-a)}$	0.38	

Electrical Characteristics ($T_a = 25^\circ\text{C}$ unless specified otherwise)

Working Voltage* +/- 5% V_Z (V) at $I_{Ztest} = 5\text{mA}$		Differential * Resistance $r_{diff}(\Omega)$ at $I_{Ztest} = 5\text{mA}$	Temperature Coefficient $S_Z(\text{mV/K})$ at $I_{Ztest} = 5\text{mA}$		Differential Resistance $r_{diff}(\Omega)$ at $I_{Ztest} = 1\text{mA}$	I_R at T_a 25°C (μA)	V_R (V)	Part Number
Minimum	Maximum	Maximum	Minimum	Maximum	Maximum	Maximum		
9.4	10.6	20	4.5	8	150	0.2	7	BZV55C10
10.4	11.6	20	5.4	9	150	0.1	8	BZV55C11
11.4	12.7	25	6	10	150	0.1	8	BZV55C12
12.4	14.1	30	7	11	170	0.1	8	BZV55C13
13.8	15.6	30	9.2	13	200	0.05	10.5	BZV55C15
15.3	17.1	40	10.4	14	200	0.05	11.2	BZV55C16
16.8	19.1	45	12.4	16	225	0.05	12.6	BZV55C18
18.8	21.2	55	14.4	18	225	0.05	14	BZV55C20
20.8	23.3	55	16.4	20	250	0.05	15.4	BZV55C22
22.8	25.6	70	18.4	22	250	0.05	16.8	BZV55C24
at $I_{Ztest} = 2\text{mA}$		at $I_{Ztest} = 2\text{mA}$	at $I_{Ztest} = 2\text{mA}$		at $I_{Ztest} = 0.5\text{mA}$			
25.1	28.9	80	21.4	25.3	300	0.05	18.9	BZV55C27
28	32	80	24.4	29.4	300	0.05	21	BZV55C30
31	35	80	27.4	33.4	325	0.05	23.1	BZV55C33
34	38	90	30.4	37.4	350	0.05	25.2	BZV55C36
3.4	3.8	90	-3.5	0	600	5	1	BZV55C3V6
3.7	4.1	90	-3.5	0	600	3	1	BZV55C3V9
40	46	150	37.6	46.6	375	0.05	30.1	BZV55C43
44	50	170	42	51.8	375	0.05	32.9	BZV55C47
4	4.6	90	-3.5	0	600	3	1	BZV55C4V3
4.4	5	80	-3.5	0.2	500	3	2	BZV55C 4V7
48	54	180	46.6	57.2	400	0.05	35.7	BZV55C51
4.8	5.4	60	-2.7	1.2	480	2	2	BZV55C 5V1
5.2	6	40	-2	2.5	400	1	2	BZV55C 5V6
5.8	6.6	10	0.4	3.7	150	3	4	BZV55C 6V2
7	7.9	15	2.5	5.3	80	1	5	BZV55C 7V5
7.7	8.7	15	3.2	6.2	80	0.7	5	BZV55C 8V2
8.5	9.6	15	3.8	7	100	0.5	6	BZV55C 9V1

*Pulse test: 20ms < tp < 50ms

Notes:

International Sales Offices:



AUSTRALIA - Farnell

Tel No: ++61 1300 361 005
Fax No: ++61 1300 361 225



FINLAND - Farnell

Tel No: ++ 358 9 560 7780
Fax No: ++ 358 9 345 5411



ITALY - Farnell

Tel No: ++ 39 02 93 995 200
Fax No: ++ 39 02 93 995 300



SPAIN - Farnell

Tel No: 901 20 20 80
Fax No: 901 20 20 90



AUSTRIA - Farnell

Tel No: ++ 43 662 2180 680
Fax No: ++ 43 662 2180 670



FRANCE - Farnell

Tel No: ++ 33 474 68 99 99
Fax No: ++ 33 474 68 99 90



MALAYSIA - Farnell-Newark

Tel No: ++ 60 3 7873 8000
Fax No: ++ 60 3 7873 7000



SWEDEN - Farnell

Tel No: ++ 46 8 730 50 00
Fax No: ++ 46 8 83 52 62



BELGIUM - Farnell

Tel No: ++ 32 3 475 2810
Fax No: ++ 32 3 227 3648



GERMANY - Farnell

Tel No: ++ 49 89 61 39 39 39
Fax No: ++ 49 89 613 59 01



NETHERLANDS - Farnell

Tel No: ++ 31 30 241 7373
Fax No: ++ 31 30 241 7333



SWITZERLAND - Farnell

Tel No: ++ 44 204 64 64
Fax No: ++ 44 204 64 54



BRAZIL - Farnell-Newark

Tel No: ++ 55 11 4066 9400
Fax No: ++ 55 11 4066 9410



HONG KONG - Farnell-Newark

Tel No: ++ 852 2268 9888
Fax No: ++ 852 2268 9899



NEW ZEALAND - Farnell

Tel No: 0800 90 80 80
Fax No: 0800 90 80 81



UK - Farnell

Tel No: ++ 44 8701 200 200
Fax No: ++ 44 8701 200 201



CHINA - Farnell-Newark

Tel No: ++86 10 6238 5152
Fax No: ++86 10 6238 5022



HUNGARY - Farnell

Tel No: ++ 44 870 1200 208
Fax No: ++ 44 870 1200 209



NORWAY - Farnell

Tel No: 800 146 70
Fax No: 800 146 76



UK - CPC

++ 44 8701 202 530
++ 44 8701 202 531



CZECH REPUBLIC - Farnell

Tel No: ++ 44 870 1200 208
Fax No: ++ 44 870 1200 209



INDIA - Farnell

Tel No: ++ 44 870 1200 208
Fax No: ++ 44 870 1200 209



PORTUGAL - Farnell

Tel No: ++ 34 93 475 8804
Fax No: ++ 34 93 474 5288



USA - Newark

Tel No: 800 463 9275



DENMARK - Farnell

Tel No: ++ 45 44 53 66 44
Fax No: ++ 45 44 53 66 06



IRELAND - Farnell

Tel No: ++ 353 1 830 9277
Fax No: ++ 353 1 830 9016



RUSSIA - Farnell

Tel No: ++ 44 870 1200 208
Fax No: ++ 44 870 1200 209



EXPORT - Farnell

Tel No: ++ 44 8701 200 208
Fax No: ++ 44 8701 200 209

For enquiries from all other markets



ESTONIA - Farnell

Tel No: ++ 358 9 560 7780
Fax No: ++ 358 9 345 5411



ISRAEL - Farnell

Tel No: ++ 180 937 0015
Fax No: ++ 180 937 0014



SINGAPORE - Farnell-Newark

Tel No: ++ 65 6788 0200
Fax No: ++ 65 6788 0300

<http://www.farnell.com>
<http://www.newark.com>
<http://www.cpc.co.uk>

Disclaimer This data sheet and its contents (the "Information") belong to the Premier Farnell Group (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. SPC Multicomp is the registered trademark of the Group. © Premier Farnell plc 2008.